PRODUCT SPECIFICATIONS

Mikasa
REAL WOOD FLOORS

PRODUCT SPECIFICATION



PRODUCT NAME	Oak Cremant
RANGE	Mikasa Pristine
COLLECTIONS	Herringbone
CONFIGURATION	1 Strip
WOOD SPECIES	Oak
EDGE	Bevelled Edges
SURFACE COLOR	Stained
SURFACE FINISH	Super Matt Lacquer
SURFACE TEXTURE	Brushed
JOINT	PlankLocÂ® , Glueless
THICKNESS (MM)	15
CONSTRUCTION	3 layers
VENEER THICKNESS (MM)	15
MOISTURE CONTENT	Delivery at app. 7-9%.

CONTENTCORE MATERIAL PINE	Pine
FORMALDEHYDE EMISSION	Complies EU E1 norms for formaldehyde emissions.
PLANK DIMENSIONS	540 mm x 90 mm
WARRANTY	30 Years in a residential environment
COLOR CHANGE	Wood is a natural product and changes color with time when exposed to light
INSTALLATION	Floating / Glue down
GRADING	Millrun
PLANKS/SQ.MTRS/WEIGHT PER PACK	Qty (per pack) : 12 Planks Sq. Mtrs / Packs: 0.5832mÂ² Weight / pack(Kg): 5.8kg