

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATION



PRODUCT NAME	Oak Cremant
RANGE	Mikasa Parquetry
COLLECTIONS	Sillage
CONFIGURATION	Parquetry
WOOD SPECIES	Oak
EDGE	Bevelled Edges
SURFACE COLOR	Stained
SURFACE FINISH	Super Matt
SURFACE TEXTURE	Brushed
JOINT	Plankloc 4 Sides
THICKNESS (MM)	15
CONSTRUCTION	3 layers
VENEER THICKNESS (MM)	Upto 3.0
MOISTURE CONTENT	Delivery at app. 7-9%.

CONTENTCORE MATERIAL PINE	Plywood
FORMALDEHYDE EMISSION	Complies EU E1 norms for formaldehyde emissions.
PLANK DIMENSIONS	450 mm x 450 mm
WARRANTY	30 Years in a residential environment
COLOR CHANGE	Wood is a natural product and changes color with time when exposed to light
INSTALLATION	Floating / Glue down
GRADING	Millrun
PLANKS/SQ.MTRS/WEIGHT PER PACK	



Jul 2026 / 09

PRODUCT SPECIFICATIONS /
WWW.MIKASAFLOORS.COM