

# PRODUCT SPECIFICATIONS

---

## PRODUCT SPECIFICATION



|                       |                        |
|-----------------------|------------------------|
| PRODUCT NAME          | Oak Syrah              |
| RANGE                 | Mikasa Parquetry       |
| COLLECTIONS           | Sillage                |
| CONFIGURATION         | Parquetry              |
| WOOD SPECIES          | Oak                    |
| EDGE                  | Bevelled Edges         |
| SURFACE COLOR         | Stained                |
| SURFACE FINISH        | Super Matt             |
| SURFACE TEXTURE       | Brushed                |
| JOINT                 | Plankloc 4 Sides       |
| THICKNESS (MM)        | 15                     |
| CONSTRUCTION          | 3 layers               |
| VENEER THICKNESS (MM) | Upto 3.0               |
| MOISTURE CONTENT      | Delivery at app. 7-9%. |

|                                |   |
|--------------------------------|---|
| CONTENTCORE MATERIAL PINE      | Plywood   |
| FORMALDEHYDE EMISSION          | Complies EU E1 norms for formaldehyde emissions.                            |
| PLANK DIMENSIONS               | 450 mm x 450 mm   |
| WARRANTY                       | 30 Years in a residential environment                                       |
| COLOR CHANGE                   | Wood is a natural product and changes color with time when exposed to light |
| INSTALLATION                   | Floating / Glue down  |
| GRADING                        | Millrun   |
| PLANKS/SQ.MTRS/WEIGHT PER PACK |   |



**Jun 2026 / 27**

PRODUCT SPECIFICATIONS /  
[WWW.MIKASAFLOORS.COM](http://WWW.MIKASAFLOORS.COM)