

PRODUCT SPECIFICATIONS

PRODUCT SPECIFICATION



| | |
|-----------------------|----------------------------------|
| PRODUCT NAME | Oak Radiant |
| RANGE | Mikasa Pristine |
| COLLECTIONS | Herringbone - Solitary |
| CONFIGURATION | 1 Strip |
| WOOD SPECIES | Oak |
| EDGE | Bevelled Edges |
| SURFACE COLOR | Stained |
| SURFACE FINISH | Matt Lacquer |
| SURFACE TEXTURE | Brushed |
| JOINT | PlankLoc [®] , Glueless |
| THICKNESS (MM) | 15 |
| CONSTRUCTION | 3 layers |
| VENEER THICKNESS (MM) | Upto 3 |
| MOISTURE CONTENT | Delivery at app. 7-9%. |

| | |
|--------------------------------|--|
| CONTENTCORE MATERIAL PINE | Pine |
| FORMALDEHYDE EMISSION | Complies EU E1 norms for formaldehyde emissions. |
| PLANK DIMENSIONS | 540 mm x 90 mm |
| WARRANTY | 30 Years in a residential environment |
| COLOR CHANGE | Wood is a natural product and changes color with time when exposed to light |
| INSTALLATION | Floating / Glue down |
| GRADING | Classic |
| PLANKS/SQ.MTRS/WEIGHT PER PACK | Qty (per pack) : 12 Planks Sq. Mtrs / Packs: 0.5832m2 Weight / pack(Kg): 5.8kg |



Mar 2025 / 24
 PRODUCT SPECIFICATIONS /
 WWW.MIKASAFLOORS.COM