



## PRODUCT SPECIFICATIONS

---



## PRODUCT SPECIFICATION



|                       |                        |
|-----------------------|------------------------|
| PRODUCT NAME          | Oak Radiant            |
| RANGE                 | Mikasa Pristine        |
| COLLECTIONS           | Chevron                |
| CONFIGURATION         | 1 Strip                |
| WOOD SPECIES          | Oak                    |
| EDGE                  | Bevelled Edges         |
| SURFACE COLOR         | Stained                |
| SURFACE FINISH        | Matt lacquer           |
| SURFACE TEXTURE       | Brushed                |
| JOINT                 | PlankLoc + T&G         |
| THICKNESS (MM)        | 15                     |
| CONSTRUCTION          | 3 layers               |
| VENEER THICKNESS (MM) | upto 3                 |
| MOISTURE CONTENT      | Delivery at app. 7-9%. |

|                                |  |
|--------------------------------|--|
| CONTENTCORE MATERIAL PINE      | Pine   |
| FORMALDEHYDE EMISSION          | Complies EU E1 norms for formaldehyde emissions.   |
| PLANK DIMENSIONS               | 450mmX90MM   |
| WARRANTY                       | 30 Years in a residential environment  |
| COLOR CHANGE                   | Wood is a natural product and changes color with time when exposed to light                          |
| INSTALLATION                   | Floating / Glue down   |
| GRADING                        | Classic  |
| PLANKS/SQ.MTRS/WEIGHT PER PACK | <p>Qty (per pack) : 12 Planks</p> <p>Sq. Mtrs / Packs: 0.486</p> <p>Weight / pack(Kg): 4.36 Kgs.</p> |



Feb 2026 / 10

PRODUCT SPECIFICATIONS /  
WWW.MIKASAFLOORS.COM