

# PRODUCT SPECIFICATIONS

---

## PRODUCT SPECIFICATION



PRODUCT NAME	Oak Radiant
RANGE	Mikasa Pristine
COLLECTIONS	Chevron
CONFIGURATION	1 Strip
WOOD SPECIES	Oak
EDGE	Bevelled Edges
SURFACE COLOR	Stained
SURFACE FINISH	Matt lacquer
SURFACE TEXTURE	Brushed
JOINT	PlankLoc + T&G
THICKNESS (MM)	15
CONSTRUCTION	3 layers
VENEER THICKNESS (MM)	upto 3
MOISTURE CONTENT	Delivery at app. 7-9%.

CONTENTCORE MATERIAL PINE	Pine
FORMALDEHYDE EMISSION	Complies EU E1 norms for formaldehyde emissions.
PLANK DIMENSIONS	450mmX90MM
WARRANTY	30 Years in a residential environment
COLOR CHANGE	Wood is a natural product and changes color with time when exposed to light
INSTALLATION	Floating / Glue down
PLANKS/SQ.MTRS/WEIGHT PER PACK	Qty (per pack) : 12 Planks Sq. Mtrs / Packs: 0.486 Weight / pack(Kg): 4.36 Kgs.



**Nov 2021 / 27**

PRODUCT SPECIFICATIONS /  
WWW.MIKASAFLOORS.COM